

# REFERENCES

- Anderson, D. R. and K. P. Burnham, 1976, Population ecology of the mallard: VI, The effect of exploitation on survival, U.S. Fish and Wildl. Serv. Resour. Publ. 128, 66 pp.
- Andrezejewski, R. and W. Jezierski, 1966, Studies on the European hare: XI, Estimation of population density and attempt to plan the yearly take of hares, *Acta Theriol.* 11:433-448.
- Arnason, A. N., 1972, Parameter estimates from mark-recapture experiments on two populations subject to migration and death, *Res. Popul. Ecology* 13(2):97-113.
- Arnason, A. N., 1973, The estimation of population size, migration rates and survival in a stratified population, *Res. Popul. Ecology* 15(1):1-8.
- Arnason, A. N. and L. Baniuk, 1978, User's manual: POPAN-2, A data maintenance and analysis system for recapture data, Univ. Manitoba, Dept. of Computer Sci., Winnipeg, Canada, 269 pp.
- Arnason, A. N. and L. Baniuk, 1980, A computer system for mark-recapture analysis of open populations, *J. Wildl. Manage.* 44(2):325-332.
- Bailey, J. A., 1969, Trap response of wild cottontails, *J. Wildl. Manage.* 33(1):48-58.
- Bailey, N. T. J., 1951, On estimating the size of mobile populations from recapture data, *Biometrika* 38(3/4):293-306.
- Baker, J. J. W. and G. E. Allen, 1968, Hypothesis, prediction, and implication in biology, Addison-Wesley Publishing Company, Reading, Massachusetts. 143 pp.
- Barbehenn, K. R., 1974, Estimating density and home range size with removal grids: The rodents and shrews of Guam, *Acta Theriol.* 19:191-234.
- Begon, M., 1979, Investigating animal abundance: capture-recapture for biologists, E. Arnold, Ltd., London, 97 pp.
- Bell, G., 1974, Population estimates from recapture studies in which no recaptures have been made, *Nature* 248:616.
- Berg, S., 1976, A note on the UMVU estimate in a multiple-recapture census, *Scand. J. Stat.* 3:86-88.
- Beukema, J. J. and G. J. DeVos, 1974, Experimental tests of a basic assumption of the capture-recapture method in pond population of carp *Cyprinus carpio* L., *J. Fish Biol.* 6:317-329.
- Bishop, J. A. and P. M. Sheppard, 1973, An evaluation of two capture-recapture models using the technique of computer simulation, in M. S. Bartlett and R. W. Hiorns, eds., *The mathematical theory of the dynamics of biological populations*, Academic Press, London, pp. 235-252.

- Bliss, C., 1967, *Statistics in biology*, Vol. 1, McGraw-Hill, Inc., New York, 558 pp.
- Bohlin, T. and B. Sundstrom, 1977, Influence of unequal catchability on population estimates using the Lincoln index and the removal method applied to electro-fishing, *Oikos* 28:123-129.
- Brotzman, R. L. and R. H. Giles, Jr., 1966, Electronic data processing of capture-recapture and related ecological data, *J. Wildl. Manage.* 30:286-292.
- Brownie, C., D. R. Anderson, K. P. Burnham, and D. S. Robson, 1978, *Statistical inference from band recovery data: a handbook*, U.S. Fish and Wildl. Serv. Resour. Publ. 131, 212 pp.
- Brownie, C. and D. S. Robson, 1976, Models allowing for age-dependent survival rates for band return data, *Biometrics* 32(2):305-324.
- Burnham, K. P., 1972, *Estimation of population size in multiple capture-recapture studies when capture probabilities vary among animals*, Oregon State University, Corvallis, Oregon, Dissertation.
- Burnham, K. P., D. R. Anderson, and J. L. Laake, 1980, Estimation of density from line transect sampling of biological populations, *Wildl. Monogr.* 72:1-202.
- Burnham, K. P. and W. S. Overton, 1978, Estimation of the size of a closed population when capture probabilities vary among animals, *Biometrika* 65(3):625-633.
- Burnham, K. P. and W. S. Overton, 1979, Robust estimation of population size when capture probabilities vary among animals, *Ecology* 60(5):927-936.
- Carle, F. L., 1976, *An evaluation of the removal method for estimating benthic populations and diversity*, Virginia Polytechnic Institute and State University, Blacksburg, Virginia, Thesis.
- Carle, F. L. and M. R. Strube, 1978, A new method for estimating population size from removal data, *Biometrics* 34(4):621-630.
- Carothers, A. D., 1973a, The effects of unequal catchability on Jolly-Seber estimates, *Biometrics* 29(1):79-100.
- Carothers, A. D., 1973b, Capture-recapture methods applied to a population with known parameters, *J. Anim. Ecol.* 42(1):125-146.
- Carothers, A. D., 1979, Quantifying unequal catchability and its effect on survival estimates in an actual population, *J. Anim. Ecol.* 48:863-869.
- Chapman, D. G., 1951, Some properties of the hypergeometric distribution with applications to zoological sample censuses, *University of California Publ. Stat.* 1(7):131-160.
- Chapman, D. G. and D. S. Robson, 1960, The analysis of a catch curve, *Biometrics* 16:354-368.
- Cochran, W. G., 1977, *Sampling techniques*, 3rd ed, John Wiley & Sons, Inc., New York, 428 pp.
- Cormack, R. M., 1964, Estimates of survival from the sightings of marked animals, *Biometrika* 51(3/4):429-438.

- Cormack, R. M., 1966, A test for equal catchability, *Biometrika* 22(2):330-342.
- Cormack, R. M., 1968, The statistics of capture-recapture methods, *Oceanogr. Mar. Bio. Ann. Rev.* 6:455-506.
- Cormack, R. M., 1972, The logic of capture-recapture estimates, *Biometrics* 28(2):337-343.
- Cormack, R. M., 1979, Models for capture-recapture, in R. M. Cormack, G. P. Patil, and D. S. Robson, eds., *Sampling biological populations*, International Co-operative Publishing House, Fairland, Maryland, pp. 217-255.
- Cormack, R. M., 1981, Log-linear models for capture-recapture experiments on open populations, in R. W. Hiorns and D. Cooke, eds., *The mathematical theory of the dynamics of biological populations*, Academic Press, London.
- Crosbie, S. F., 1979, The mathematical modelling of capture-mark-recapture experiments on animal populations, University of Otago, Dunedin, New Zealand, Thesis.
- Cross, D. G. and B. Stott, 1975, The effect of electric fishing on the subsequent capture of fish, *J. Fish Biol.* 7:349-357.
- Crowcroft, P. and J. N. R. Jeffers, 1961, Variability in the behavior of wild house mice (*Mus musculus* L.) towards live traps, *Proc. Zool. Soc. London* 137(4):573-582.
- Darroch, J. N., 1958, The multiple recapture census: I. Estimation of a closed population, *Biometrika* 45(3/4):343-359.
- Darroch, J. N., 1959, The multiple recapture census: II. Estimation when there is immigration or death, *Biometrika* 46(3/4):336-351.
- Darroch, J. N., 1961, The two-sample capture-recapture census when tagging and sampling are stratified, *Biometrika* 48(3/4):241-260.
- Davis, D. E., 1956, *Manual for analysis of rodent populations*, Edwards Brothers, Inc., Ann Arbor, Michigan, 82 pp.
- Davison, R. P., 1980, The effect of exploitation on some parameters of coyote populations, Utah State University, Logan, Utah, Dissertation.
- Dice, L. R., 1938, Some census methods for mammals, *J. Wildl. Manage.* 2(2):119-130.
- Dice, L. R., 1941, Methods for estimating populations of animals, *J. Wildl. Manage.* 5(4):398-407.
- Dixon, W. J. and M. B. Brown, eds., 1979, *BMDP Biomedical Computer Programs P-Series 1979*, University of California Press, Berkeley, California, 880 pp.

Dupont, W. D., 1976, A stochastic method for estimating animal abundance from catch-effort data, Johns Hopkins University, Baltimore, Maryland, Dissertation.

Eberhardt, L. L., 1969, Population estimates from recapture frequencies, *J. Wildl. Manage.* 33(1):28-39.

Eberhardt, L. L., 1970, Correlation, regression, and density dependence, *Ecology* 51(2):306-310.

Edwards, W. R. and L. L. Eberhardt, 1967, Estimating cottontail abundance from live trapping data, *J. Wildl. Manage.* 31(1):87-96.

Efron, B., 1979, Bootstrap methods: another look at the jackknife, *Ann. Stat.* 7(1):1-26.

Feller, W., 1950, An introduction to probability theory and its application, Vol. 1, John Wiley & Sons, Inc., New York, 509 pp.

Fisher, R. A. and E. B. Ford, 1947, The spread of a gene in natural conditions in a colony of the moth *Panaxia dominula* (L.), *Heredity* 1:143-174.

Fordham, R. A., 1970, Mortality and population change of dominican gulls in Wellington, New Zealand, with a statistical appendix by R. M. Cormack, *J. Anim. Ecol.* 39(1):13-27.

Friedman, R., 1974, Electrofishing for population sampling + a selected bibliography, U.S. Department of the Interior, Office of Library Services, Bibliography Series No. 31, Washington, D.C.

Geis, A. D., 1955, Trap response of the cottontail rabbit and its effect on censusing, *J. Wildl. Manage.* 19(4):466-472.

Gentry, J. B., F. B. Golley, and J. T. McGinnis, 1966, Effect of weather on captures of small mammals, *Am. Midl. Nat.* 75(2):526-530.

Gentry, J. B., F. B. Golley, and M. H. Smith, 1968, An evaluation of proposed International Biological Program census methods for estimating small mammal populations, *Acta Theriol.* 13:313-327.

Getz, L. L., 1961, Response of small mammals to live-traps and weather conditions, *Am. Midl. Nat.* 66(1):160-169.

Gilbert, R. O., 1973, Approximation of the bias in the Jolly-Seber capture-recapture model, *Biometrics* 29(3):501-526.

Gliwicz, J., 1970, Relation between trapability and age of individuals in a population of the bank vole, *Acta Theriol.* 15(2):15-32.

Goldstein, M. and I. F. Goldstein, 1978, How we know: an exploration of the scientific process, Plenum Publishing Corp., New York, 357 pp.

Gray, H. L. and W. R. Schucany, 1972, The generalized jackknife statistic, Marcel Dekker, Inc., New York, 308 pp.

Green, R. H., 1979, Sampling design and statistical methods for environmental biologists, John Wiley & Sons, Inc., New York, 257 pp.

- Hansson, L., 1974, Influence area of trap stations as a function of number of small mammals exposed per trap, *Acta Theriol.* 19:19-25.
- Hartley, H. O., 1980, Statistics as a science and as a profession, *J. Am. Stat. Assoc.* 75:1-7.
- Hayne, D. W., 1949a, Two methods for estimating populations from trapping records, *J. Mammal.* 30(4):399-411.
- Hayne, D. W., 1949b, Calculation of size of home range, *J. Mammal.* 30(1):1-18.
- Hayne, D. W., 1978, Experimental designs and statistical analyses in small mammal population studies, in D. P. Snyder, ed., *Populations of small mammals under natural conditions*, Spec. Publ. Ser., Vol. 5, Pymatuning Lab. of Ecol., University of Pittsburgh, Pittsburgh, Pennsylvania, pp. 3-10.
- Huber, J. J., 1962, Trap response of confined cottontail populations, *J. Wildl. Manage.* 26(2):177-185.
- Hubert, G. F., Jr., G. L. Storm, R. L. Phillips, and R. D. Andrews, 1976, Ear tag loss in red foxes, *J. Wildl. Manage.* 40(1):164-167.
- Hunter, J. R. and W. T. Wisby, 1964, Net avoidance behavior of carp and other species of fish, *J. Fish. Res. Board of Canada* 21:613-633.
- Jensen, T. S., 1975, Trappability of various functional groups of the forest rodents *Clethrionomys glareolus* and *Apodemus flavicollis*, and its application in density estimations, *Oikos* 26(2):196-204.
- Johns, B. E., 1979, Micotaggants—new wildlife marker, *U.S. Fish and Wildl. Serv. Research Info. Bull.* 8, 1 p.
- Johnson, D. H., 1974, Estimating survival rates from banding of adult and juvenile birds, *J. Wildl. Manage.* 38(2):290-297.
- Johnson, N. L. and S. Kotz, 1977, *Urn models and their application: an approach to modern discrete probability theory*, John Wiley & Sons, Inc., New York, 402 pp.
- Jolly, G. M., 1965, Explicit estimates from capture-recapture data with both death and immigration—stochastic model, *Biometrika* 52(1/2):225-247.
- Jolly, G. M., 1979, A unified approach to mark-recapture stochastic models, exemplified by a constant survival rate model, in R. M. Cormack, G. P. Patil, and D. R. Robson, eds., *Sampling biological populations*, International Co-operative Publishing House, Fairland, Maryland, pp. 227-282.
- Justice, K. E., 1961, A new method for measuring home ranges of small mammals, *J. Mammal.* 42(4):462-470.
- Kempthorne, O. and L. Folks, 1971, *Probability, statistics, and data analysis*, Iowa State University Press, Ames, Iowa, 555 pp.
- Kendall, M. G., and W. R. Buckland, 1971, *A dictionary of statistical terms*, 3rd ed., Hafner Press, New York, 166 pp.

Larson, H. J., 1969, Introduction to probability theory and statistical inference, John Wiley & Sons, Inc., New York, 387 pp.

Leslie, P. H., 1952, The estimation of population parameters from data obtained by means of the capture-recapture method: II. The estimation of total numbers, *Biometrika* 38(3/4):368-388.

Leslie, P. H., 1958, Statistical appendix, *J. Anim. Ecol.* 27(1):84-86.

Leslie, P. H. and D. Chitty, 1951, The estimation of population parameters from data obtained by means of the capture-recapture method: I. The maximum likelihood equations for estimating the death rate, *Biometrika* 38(3/4):269-292.

Leslie, P. H., D. Chitty, and H. Chitty, 1953, The estimation of population parameters from data obtained by means of the capture-recapture method: II. An example of the practical application of the method, *Biometrika* 40(1/2):137-169.

Lindgren, B. W., 1968, Statistical theory, Macmillan & Co., London, 521 pp.

Mahon, R., 1980, Accuracy of catch-effort methods for estimating fish density and biomass in streams, *Environ. Biol. Fishes* 5(4):343-360.

Manly, B. F. J., 1970, A simulation study of animal population estimation using the capture-recapture method, *J. Appl. Ecol.* 7(1):13-39.

Manly, B. F. J. and M. J. Parr, 1968, A new method of estimating population size, survivorship, and birth rate from capture-recapture data, *Trans. Soc. Br. Entomol.* 18:81-89.

Medawar, P. B., 1969, Induction and intuition in scientific thought, Amer. Philos. Soc., Philadelphia, Pennsylvania, 62 pp.

Mendenhall, W., L. Ott, and R. L. Scheaffer, 1971, Elementary survey sampling, Wadsworth Publishing Co., Belmont, California, 247 pp.

Mendenhall, W., and R. L. Scheaffer, 1973, Mathematical statistics with applications, Duxbury Press, North Scituate, Massachusetts, 561 pp.

Montgomery, W. I., 1979, An examination of interspecific, sexual and individual biases affecting rodent captures in Longworth traps, *Acta Theriol.* 24(3):35-45.

Mood, A. M., F. A. Graybill, and D. C. Boes, 1974, Introduction to the theory of statistics, 3rd ed., McGraw-Hill Book Co., New York, 564 pp.

Moran, P. A. P., 1951, A mathematics theory of animal trapping, *Biometrika* 38(3/4):307-311.

Moran, P. A. P., 1952, The estimation of death-rates from capture-mark-recapture sampling, *Biometrika* 39(1/2):181-188.

Nichols, J. D., B. R. Noon, S. L. Stokes, and J. E. Hines, 1981, Remarks on the use of mark-recapture methodology in estimating avian population size, in J. M. Scott and C. J. Ralph, eds., Estimating numbers of birds, *Studies in Avian Biology* No. 6, The Cooper Ornithological Society, pp. 121-136.

- Nixon, C. N., W. R. Edwards, and L. L. Eberhardt, 1967, Estimating squirrel abundance from live trapping data, *J. Wildl. Manage.* 31(1):96-101.
- O'Farrell, M. J., D. W. Kaufman, and D. W. Lundohl, 1977, Use of live-trapping with the assessment line method for density estimation, *J. Mammal.* 58(4):575-582.
- Ostle, B., 1963, *Statistics in research*, Iowa State University Press, Ames, Iowa, 585 pp.
- Otis, D. L., K. P. Burnham, G. C. White, and D. R. Anderson, 1978, Statistical inference from capture data on closed animal populations, *Wildl. Monogr.* 62:1-135.
- Otis, D. L., 1980, An extension of the change in ratio method, *Biometrics* 36(1):141-147.
- Overton, W. S. and D. E. Davis, 1969, Estimating the number of animals in wildlife populations, in R. H. Giles, Jr., ed., *Wildlife management techniques*, 3rd ed, The Wildlife Society, Washington, D.C., pp. 403-455.
- Paloheimo, J. E., 1963, Estimation of catchabilities and population sizes of lobsters, *J. Fish. Res. Board Can.* 20(1):59-88.
- Paulik, G. J. and D. S. Robson, 1969, Statistical calculations for change-in-ratio estimators of population parameters, *J. Wildl. Manag.* 33(1):1-27.
- Pella, J. and P. Tomlinson, 1969, Generalized stock production model, *Inter-Amer. Trop. Tuna Comm. Bull.* 13(3):421-496.
- Pelton, M. R. and L. C. Marcum, 1975, The potential use of radioisotopes for determining densities of black bears and other carnivores, in R. L. Phillips and C. Jonkel, eds., *Proc. 1975 Predator Symp., Montana Forest and Conservation Exp. Sta., Missoula, Montana*, pp. 221-236.
- Pollock, K. H., 1974, The assumption of equal catchability of animals in tag-recapture experiments, Cornell University, Ithaca, New York, Ph.D. Thesis, 82 pp.
- Pollock, K. H., 1975, A K-sample tag-recapture model allowing for unequal survival and catchability, *Biometrika* 62(2):577-583.
- Pollock, K. H., 1981a, Capture-recapture models allowing for age-dependent survival and capture rates, *Biometrics* 37(3), pp. 521-529.
- Pollock, K. H., 1981b, Capture-recapture models: a review of current methods, assumptions and experimental design, in J. M. Scott and C. J. Ralph, eds., *Estimating numbers of birds*, *Studies in Avian Biology* No. 6, The Cooper Ornithological Society, pp. 426-435.
- Pollock, K. H., D. L. Solomon, and D. S. Robson, 1974, Tests for mortality and recruitment in a K-sample tag-recapture experiment, *Biometrics* 30(1):77-87.
- Popper, K. R., 1962, *Conjectures and refutations*, Basic Books, Inc., New York, 412 pp.
- Raleigh, R. F. and C. Short, 1981, Depletion sampling in stream ecosystems: assumptions and techniques, *Prog. Fish-Cult.* 43(3):115-120.
- Rice, W. R. and J. D. Harder, 1977, Application of multiple aerial sampling to a mark-recapture census of white-tailed deer, *J. Wildl. Manage.* 41(2):197-206.

Ricker, W. E., 1975, Computation and interpretation of biological statistics of fish populations, Information Canada Bulletin 191, Ottawa, Canada, 382 pp.

Robson, D. S., 1963, Maximum likelihood estimation of a sequence of annual survival rates from a capture-recapture series, *in* North Atlantic Fish Marking Symposium, I.C.H.A.F., Special Publication No. 4, pp. 330-335.

Robson, D. S., 1969, Mark-recapture methods of population estimation, *in* M. L. Johnson and H. Smith, Jr., eds., New developments in survey sampling, Wiley-Interscience, New York, pp. 120-140.

Robson, D. S. and D. G. Chapman, 1961, Catch curves and mortality rates, *Trans. Am. Fish. Soc.* 90(20):181-189.

Robson, D. S. and H. A. Regier, 1968, Estimation of population number and mortality rates, *in* W. E. Ricker, ed., Methods for assessment of fish production in fresh waters, IBP Handbook No. 3, Blackwell Scientific Publ., Oxford, pp. 124-158.

Robson, D. S. and W. D. Youngs, 1971, Statistical analysis of reported tag-recaptures in the harvest from an exploited population, Cornell University, Biometrics Unit report BU-369-M, 15 pp.

SAS Institute Inc., 1979, SAS User's Guide 1979 Edition, SAS (Statistical Analysis Systems) Institute Inc., Raleigh, North Carolina, 494 pp.

Schnabel, Z. E., 1938, The estimation of the total fish population of a lake, *Amer. Math. Mon.* 45(6):348-352.

Seber, G. A. F., 1962, The multi-sample single recapture census, *Biometrika* 49(3/4):339-350.

Seber, G. A. F., 1965, A note on the multiple-recapture census, *Biometrika* 52(1/2):249-259.

Seber, G. A. F., 1970, Estimating time-specific survival and reporting rates for adult birds from band returns, *Biometrika* 57(2):313-318.

Seber, G. A. F., 1971, Estimating age-specific survival rates from bird-band returns when the reporting rate is constant, *Biometrika* 58(3):491-497.

Seber, G. A. F., 1973, Estimation of animal abundance and related parameters, Griffin, London, 506 pp.

Seber, G. A. F., 1982, Estimation of animal abundance and related parameters, 2nd ed., 654 pp.

Seber, G. A. F. and R. Felton, 1981, Tag loss and the Petersen mark-recapture experiment, *Biometrika* 68(1):211-219.

Seber, G. A. F. and J. F. Whale, 1970, The removal method for two and three samples, *Biometrics* 26(3):393-400.

Skalski, J. R. and D. S. Robson, 1979, Tests of homogeneity and goodness-of-fit to a truncated geometric model for removal sampling, *in* R. M. Cormack, G. P. Patil and D. S. Robson, eds., Sampling biological populations, International Co-operative Publishing House, Fairland, Maryland, pp. 283-313.

Smith, H. D., C. D. Jorgansen, and H. D. Tolley, 1972, Estimation of small mammals using recapture methods: partitioning of estimator variables, *Acta Theriol.* 17:57-66.

Smith, M. H., J. B. Gentry, and F. B. Golley, 1969, A preliminary report on the examination of small mammal census methods, *in* K. Petruszewicz and L. Ruskowski, eds., *Energy flow through small mammal populations*, Polish Scientific Publ., Warsaw, Poland, pp. 25-29.

Smith, M. H., R. Blessing, J. G. Chelton, J. B. Gentry, F. B. Golley, and J. T. McGinnis, 1971, Determining density of small mammal populations using a grid and assessment lines, *Acta Theriol.* 16:105-125.

Smith, M. H., R. H. Gardner, J. B. Gentry, D. W. Kaufman, and M. J. O'Farrell, 1975, Density estimation of small animal populations, *in* F. B. Golley, K. Petruszewicz, and L. Ruskowski, eds., *Small mammals: their production and population dynamics*, Intern. Biol. Prog. 5., Cambridge University Press, London, pp. 25-53.

Southwood, T. R. E., 1978, *Ecological methods*, 2nd ed., Chapman and Hall, London, 524 pp.

Stickel, L. F., 1954, A comparison of certain methods of measuring ranges of small mammals, *J. Mammal.* 35(1):1-15.

Stuart, A., 1962, *Basic ideas of scientific sampling*, Charles Griffin and Co. Ltd., 99 pp.

Swift, D. M. and R. K. Steinhorst, 1976, A technique for estimating small mammal population densities using a grid and assessment lines, *Acta Theriol.* 21(4):471-480.

Swinebroad, J., 1964, Net-shyness and wood thrush populations, *Bird-Banding* 33(3):196-202.

Taber, R. D. and I. M. Cowan, 1969, Capturing and marking wild animals, *in* R. H. Giles, Jr., eds., *Wildlife management techniques*, 3rd ed., The Wildlife Society, Washington, D.C., pp. 277-317.

Tanaka, R., 1956, On differential response to live traps of marked and unmarked populations, *Annal. Zool. Jap.* 29:44-51.

Tanaka, R., 1970, A field study of the effect of prebaiting on censusing by the capture-recapture method in a vole population, *Res. Pop. Ecol.* 12(1):111-125.

Tanaka, R., 1972, Investigation into the edge effect by use of capture-recapture data in a vole population, *Res. Pop. Ecol.* 13(2):127-151.

Tanner, J. T., 1978, *Guide to the study of animal populations*, University of Tennessee, Knoxville, Tennessee, 186 pp.

White, E. G., 1975, Identifying population units that comply with capture-recapture assumptions in an open community of alpine grasshoppers, *Res. Pop. Ecol.* 16(2):153-187.

White, G. C., K. P. Burnham, D. L. Otis, and D. R. Anderson, 1978, *User's Manual for Program CAPTURE*, Utah State University Press, Logan, Utah, 40 pp.

Young, H., J. Neess, and J. T. Emlen, Jr., 1952, Heterogeneity of trap response in a population of house mice, *J. Wildl. Manage.* 16(2):169-180.

Zippin, C., 1956, An evaluation of the removal method of estimating animal populations, *Biometrics* 12(2):163-189.

Zippin, C., 1958, The removal method of population estimation, *J. Wildl. Manage.* 22(1):82-90.